Giganet Gigabit 802.3at PoE Injector

7 K H * L J D Q H W Gigabit 802.3at PoE Injector enables both home and office users to easily connect and supply power to Power over Ethernet (PoE) devices. Generating up to 30W supplies remote power for wireless Access Points (APs), IP cameras, and IP phones while adding more Ethernet devices like computers, printers, and Network Attached Storage (NAS) onto a network. Build with home and small business users in mind, this compact PoE injector making it ideal for use in virtually any room or office. The UPT CAT-5 cable can extend up 328ft (100m).

CHARACTERISTICS

- Up to 30W of PoE Power
- IEEE 802.3at Compliant
- Compatible with IEEE 802.3af or Legacy PoE applications
- Safe on Low Power Devices Receive Only the Power They Need
- Safe and Reliable Power to WLAN Access Points
- Automatic Detection and Protection of Non-standard Ethernet Terminals
- Supports 10/100/1000Base-T LAN environment
- Desktop, shelf and friendly wall mounting

Specification

Standard	v ,(((%DVH 7 (WKHUQHW v ,(((X %DVH)7;(WKHUQHW v ,(((DE %DVH 7 E LWD(WKHUQHW v ,(((DI 3RZHU RYHU(WKHUQHW v ,(((DW 3RZHU RYHU(WKHUQHW
Interface	v 0ES5- RQH 'DWD'DQDRQH DQG 3RZHU 2XW
Ethernet Data Rates	v 0
Input Power	v 9ROWDJH WR 9DF
Output Power	v 9'& P$ v :DWW
Pin Assignment	v 9 9
LED	v $& 3RZHU *UHHQ v 3R(2QQH
Environmental	v 2SHUDWLQJ WHPS HUDWXUH a 2SHUDWLQJ LQLGLW\ 1RQ
Dimension	v [[PP / [: [
Certification	v)&& &(/9'

GIGANET
25 Year
System Warranty

PRODUCT INFORMATION

Part Number	Product Description
GPOE-IN -	*LJDQHW *LJDELW DW 9 : 3R(,QMHFWRU : 8. SRZHU F

,$1(7 1(7:25.,1* 62/87,216 /7' _ 'H 0RQWIRUW _6WUHHW _8./HLFHV
7HOHSKRQH)D[(PDLO VDOHV#JLJD QHW