

The Giganet Loose Tube (LT) optical fibre cables with corrugated steel tape (CST) have been designed and manufactured for harsh rugged outdoor environments. The CST armor is bonded to the outer sheath and protects the cables from rodents and can be used as direct burial. The loose tubes are filled with gel which allows the flexibility and protection when pulling the cable and enables easier and faster installation on site. The water blocking E-glass strength members surrounds the tube and the CST is longitudinally applied. The CST armored cable is suitable for outdoor Campus and building Backbones. All cables designed are designed to IEC 11801 standards. The cable can contain 24 colour coded fibres in unstranded form and are available in OM4 variants. The cable outer sheath is flame retardant LSOH.



### CABLE CHARACTERISTICS


- 250µm colour-coded optical fibre
- Gel filled loose-tubes for fibre lubrication and water repelling properties
- FRP Central strength member
- Corrugated Steel Tape for superior protection

### CABLE FEATURES

- Choice of fibre type
- Choice of colour coded fibres
- High strength aramid-yarn strength member
- Choice of outer jacket material and colour
- OM3 and OM4
- Able to withstand impacts and high pressure

### CABLE APPLICATIONS

- External duct and direct burial applications
- Harsh environments where impact and crush protection is demanded
- Ideal for water crossings i.e. rivers and lakes



### ENVIRONMENTAL CHARACTERISTICS

Operate temperature range: -20 to +60°C  
 Storage temperature range: -20 to +60°C

Compliant with RoHS standards

### PRODUCT INFORMATION

Part Number	Product Description
GN-CST-LT-MM-OM4-(16)C	Giganet CST Armoured Loose Tube Multimode 50/125 OM3 16 Core Fibre Optic Cable

